

PubMedで 医学論文を検索

PubMedとは

PubMedは、医学関連分野の図書や論文の情報を検索できる検索ツールです。一般に公開されており、自由に検索を行えます。
また、一部本文が公開されている論文等については、本文へのリンクも提供されています。

1. アクセス方法

PubMedは一般に公開されていますが、図書館Webサイト上の「データベース一覧」からアクセスすることで、便利な機能（9. Find it Kobe Univ.参照）を利用できます。

資料を探す

神戸大学の所蔵資料を検索

OPAC ● ディスカバリー

データベース一覧



図書館Webサイト
<https://lib.kobe-u.ac.jp/>

データベース一覧 / List of Databases

A. AAS Historical Periodicals Collection

A. Academic OneFile

A. AGRICOLA (NAL Catalog)

A. AgriKnowledge

A. AGRIS

A. AGROPEDIA

A. arXiv.org

B. BioMed Central (BMC)

B. Business Source Premier

P. **PubMed**

R. Readers' Guide to Periodical Literature

R. Regional Business News

R. Rosenne's Law and Practice of the International Court : 1920-2015

R. Routledge Handbooks Online (RHO)

S. ScienceDirect

S. SciFinder-n(CAS) (要事前登録)

全て / All

一覧 / A-Z List

内容別リスト / By Contents

- ▶ 図書 - 参考文献 / Reference DBs
- ▶ 図書 / Books
- ▶ 論文 / Treatises
- ▶ 新聞記事 / Newspapers
- ▶ 法令 - 判例 / Laws - Precedents
- ▶ 統計 / Statistics
- ▶ 特許 - 知的財産 / Patents - Intellectual

Information

データベース名 / Database
PubMed(神大専用)

提供機関 / Vendor
United States National Library of Medicine (NLM)

利用条件 / Use condition
一般公開 / Open to the public

※学内ネットワークまたはVPN接続 ☐ を利用すると、文献入手のための「Find it! Kobe Univ」ボタンが表示されます。

言語 / Language
English

収録範囲 / Recording Range
1946-

フルテキスト / Full-text
一部本文提供サイトへリンクあり / In some cases, you can link to full text directly from the database.


概要 / Description
1946年以降の医学薬学に関連する文献情報を検索します。
MEDLINEとNonMEDLINE(MEDLINEに収載されないもの、データ整備前のレコード、出版社が直接提供するレコード等)がデータソースとなっているため、基本的にはMEDLINE と同様のデータベースです。

「データベース一覧」からデータベースを選択すると、詳細画面が表示されます。

詳細画面上で「データベース名」のリンクをクリックすると各データベースにアクセスできます。

詳細画面では、データベースの概要やマニュアルも確認できます。

2. 検索画面 ① トップページ



① 検索窓

キーワードを入力して文献を検索できます。

② Advanced Search

Advanced Searchに移動します。

③ Single Citation Matcher

特定の論文を、掲載雑誌の情報等（不完全でも可）を使って検索できます。

3. 検索画面 ② Advanced Search

1 Add terms to the query box

All Fields Enter a search term

ADD Show Index

2 Query box

Enter / edit your search query here

Search

History and Search Details

Download Delete

Search	Actions	Details	Query	Results	Time
#1	...	▼	Search: terminal care ("terminal care"[MeSH Terms] OR ("terminal"[All Fields] AND "care"[All Fields])) OR "terminal care"[All Fields]	57,785	23:15:37

① 検索補助

論理演算や検索対象フィールドを指定した検索式を入力できます。

② 検索式

実行中の検索式が表示されます。履歴を組み合わせた検索も可能です。(③の...をクリックし「Add query」を選択)

③ 検索履歴




検索履歴が表示されます。Detailsの矢印をクリックすると、検索式が確認できます。

4. 検索テクニック ①

○ 検索の基本

- ・ 大文字／小文字は区別されません。
- ・ 複数形等も自動で検索対象に含まれます。
- ・ 冠詞や前置詞、記号等は検索ワードとみなされません。

○ 論理演算

AND検索		AとBの両方を含む論文を検索	スペース, AND (大文字) , & 例) 「A B」 「A AND B」
OR検索		A, Bのうち、少なくとも一方を含む論文を検索	OR (大文字) もしくは (縦棒) 例) 「A OR B」 「A B」
NOT検索		Aを含む論文のうち、Bを含まない論文のみを検索	NOT (大文字) 例) 「A NOT B」

※スペースを使うと自動的にフレーズ検索が行われる場合がある

※PubMedは左から順に検索が処理されるため、検索順を変更したいときは () を使う
「A & (B OR C)」⇒BとCの少なくとも一方を含み、かつAを含んだ論文を検索

○ その他の便利な記号

フレーズ検索	文字列を " " で囲んで検索	スペースを含む2語以上の言葉を順番を変えずに検索します。例: 「stem cell」
前方一致検索	末尾に * を入力して検索	語尾の異なる類似語を一括検索できます。 例: 「neur*」⇒ neuron, neural等がヒット。

5. 検索テクニック ②

○ 著者名検索

- 著者名は「姓_名（イニシャル）ミドルネーム（イニシャル）」で入力します。
例）William C. Campbellは「Campbell WC」と入力します。
「Campbell W」と入力すると「Campbell WK」や「Campbell WW」もヒットします。
- 著者の姓しかわからない時は、姓の後にタグ [au] を付けて検索します。
例）brody[au]

○ 雑誌検索

- 雑誌はフルタイトル・略誌名・ISSNから検索できます。ISSNで検索する場合には、4桁目と5桁目の間にハイフン（-）を入力します。
- Science のような短いタイトルの雑誌は、後ろにタグ [ta] を付けて検索します。

Advanced Search を使うと、
タグを付けなくても、
フィールドを指定した検索が
できます。



Search Field Descriptions and Tags

Affiliation [AD]	Investigator [IR]	Pharmacological Action [PA]
Article Identifier [AID]	ISBN [ISBN]	Place of Publication [PL]
All Fields [ALL]	Issue [IP]	PMID [PMID]
Author [AU]	Journal [TA]	Publisher [PUBN]
Author Identifier [AUID]	Language [LA]	Publication Date [DP]
Book [book]	Last Author [LASTAU]	Publication Type [PT]
Comment Corrections	Location ID [LID]	Secondary Source ID [SI]
Corporate Author [CN]	MeSH Date [MHDA]	Subset [SB]
Create Date [CRDT]	MeSH Major Topic [MAJR]	Supplementary Concept [NM]
Completion Date [DCOM]	MeSH Subheadings [SH]	Text Words [TW]
EC/RN Number [RN]	MeSH Terms [MH]	Title [TI]
Editor [ED]	Modification Date [LR]	Title/Abstract [TIAB]
Entrez Date [EDAT]	NLM Unique ID [JID]	Transliterated Title [TT]
Filter [FILTER]	Other Term [OT]	UID [PMID]
First Author Name [1AU]	Owner	Version
Full Author Name [FAU]	Pagination [PG]	Volume [VI]
Full Investigator Name [FIR]	Personal Name as Subject [PSI]	
Grant Number [GR]		

タグ一覧(PubMed User Guideより)

6. 論文検索結果一覧画面

① 絞り込み

資料種別や出版年などから検索結果を絞り込めます。下部にある「Additional filters」から項目を追加できます。一度設定した絞り込みは「Clear all」をクリックするまで保持されます。

② 表示設定

検索結果の並べ替えたり、1ページに表示する件数の変更等を行えます。

③ 論文情報（論文タイトルが[]で囲まれているものは非英語論文）

論文タイトルをクリックすると論文詳細情報画面が表示されます。

7. 論文詳細情報画面

> Support Care Cancer. 2018 Nov;26(11):3951-3958. doi: 10.1007/s00520-018-4274-2. Epub 2018 May 30.

Factors Associated With Discharge Disposition on an Acute Palliative Care Unit

David Hausner^{1 2}, Nanor Kevork², Ashle², Jeffni Hannon^{1 2}, John Bryson^{1 2}, Jenny Lau^{2 3}, Gary Rodin^{2 4 5}, Lisa W Le⁶, Camilla Z^{7 8 9 10}, Mann^{7 8 9 10}

Affiliations + expand

PMID: 29850945 DOI: 10.1007/s00520-018-4274-2

Abstract

Purpose: Acute palliative care units (APCUs) address the transition to community palliative care units or home early in the course of admission is crucial for decisions associated with patients' discharge disposition.

Methods: We evaluated demographic, administrative, and clinical data from a single-center, prospective APCU in 2015. Clinical data included cancer diagnosis, Eastern Oncology Cooperative Trial (ECOG) performance, Assessment System (ESAS) symptoms. An ESAS symptom cluster of breath, and appetite (FDSA) was also investigated. Discharge disposition (home, CPCU/H, died on APCU) were analyzed using multivariable logistic regression.

Results: Among 280 patients, the median age was 65 (55.4%) were admitted for symptom control, 65 (23.2%) for terminal care. Discharge dispositions were as follows: 161 (57.5%) were discharged home, 104 (37.1%) to CPCU/H, and 61 (21.8%) were transferred to CPCU/H. On multivariable analysis, patients who died were less likely to be older (OR 0.97, $p = 0.01$), or to be admitted for symptom control (OR 0.06, $p < 0.0001$), and more likely to have a higher FDSA score 21-40 (OR 3.02, $p = 0.004$). Patients discharged to CPCU/H were less likely to have been admitted for symptom control (OR 0.06, $p < 0.0001$).

Conclusion: Age, reason for admission, and the FDSA symptom cluster on admission are variables that can inform clinicians about probable discharge disposition on an APCU.

Keywords: Cancer; Mortality; Palliative care; Patient discharge; Symptom cluster; Transitional care.

Similar articles

Characteristics and outcomes of patients admitted to the acute palliative care unit from the emergency center.

Shin SH, Hui D, Chisholm GB, Kwon JH, San-Miguel MT, Allo JA, Yennurajalingam S, Frisbee-Hume SE, Bruera E. J Pain Symptom Manage. 2014 Jun;47(6):1028-34. doi: 10.1016/j.jpainsymman.2013.07.015. Epub 2013 Nov 15. PMID: 24216788

2

TEXT LINKS

SpringerLink
Full-text article
Find it! Kobe Univ.

ACTIONS

Cite

3

SHARE

PAGE INFORMATION

< Title Authors

Abstract

Similar articles

Cited by

References

MeSH terms

Grant support

LinkOut - more resources

CITATION TEXT

Hausner D, Kevork N, Pope A, et al. Factors associated with discharge disposition on an acute palliative care unit. *Support Care Cancer*. 2018;26(11):3951-3958. doi:10.1007/s00520-018-4274-2

Copy Download .nbib Format: AMA MLA APA NLM

① 論文情報

掲載誌略称, 巻号, 掲載頁. 出版年月
DOI (Digital Object Identifier)
論文タイトル
著者名
(「Affiliations + expand」から著者の所属を確認できます。)

② フルテキスト等へのリンク

③ 引用スタイル

文献情報をダウンロードしたり、引用スタイルを選択してコピーできます。

④ 類似論文一覧

8. 掲載誌情報の確認

論文詳細情報画面の掲載誌略称をクリックして「Search in NLM Catalog」を選択することで、掲載誌の正式名称やISSNなどの情報を確認できます。

▼ Support Care Cancer 26 (11), 3951-3958 Nov 2018

ACTIONS

Search in PubMed

Search in NLM Catalog

Add to Search

PMID: 29850945 DOI: 10.1007/s00520-018-4274-2

Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer

Author(s): Multinational Association of Supportive Care in Cancer

NLM Title Abbreviation: Support Care Cancer

ISO Abbreviation: Support Care Cancer

Title(s): Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer.

Other Title(s): SUPPORT CARE CANCER

Publication Start Year: 1993

Frequency: Twelve no. a year 2003-

Country of Publication: Germany

Publisher: Berlin : Springer International, c1993-

Description: v. : ill.

Language: English

ISSN: 0941-4355 (Print)
1433-7339 (Electronic)
0941-4355 (Linking)

Acid-Free: Yes

Electronic Links: <http://link.springer.com/journal/520>

In: Index medicus: v1n1, Jan. 1993-
MEDLINE: v1n1, Jan. 1993-
PubMed: v1n1, Jan. 1993-

Current Format Status: Electronic and print, print canceled 2017

Current Indexing Status: Currently indexed for MEDLINE.

Current Subset: Index Medicus

Version Indexed: Electronic

MeSH: Neoplasms/therapy*
Palliative Care*
Social Support*

Broad Subject Term(s): Neoplasms
Palliative Care

Publication Type(s): Periodicals

Notes: Six issues per year.
Title from cover.
Called also: Vol. 1, no. 1- .
Also issued online.

Other ID: (DNLM)SR0075345(s)
(OCoLC)27806812

NLM ID: 9302957 [Serial]

9. Find it! Kobe Univ.

学内ネットワークから検索すると、FULL TEXT LINKSの欄に **Find it! Kobe Univ.** が表示されます。このアイコンのリンク先では、検索した論文の電子ジャーナルへのリンクの可否や神戸大学の所蔵有無を同時に調べられます。

神戸大学附属図書館 **Find it!**
KOBE UNIVERSITY LIBRARY **FIND IT!**

SFX SFX Services for this record

論文タイトル: Factors associated with discharge disposition on an acute palliative care unit.
出典: Supportive care in cancer [0941-4355] Hausner 年:2018 CODEN:SCCAEO 出版社:Springer Berlin Heidelberg UNITED STATES

ベーシックサービス その他のサービス

電子ジャーナルでフルテキストを見る

JUSTICE SpringerLink Online Journals Current 2018 でフルテキストを見る

年: 2018 巻: 号: 開始頁: GO

フルテキスト (DOI)

DOI でフルテキストを見る GO

無料のフルテキストを探す

Google Scholar で検索する GO

Article Title

検索語: Factors associated with discharge dispos

JAIRO で国内の機関リポジトリを検索する GO

論文タイトル

Search Terms: Factors associated with discharge dispos

OALister で世界の機関リポジトリを検索する GO

論文タイトル

検索語: Factors associated with discharge dispos

冊子の所蔵を確認する

神戸大学 (OPAC) で学内の所蔵を確認 GO

1件見つかりました。


CiNii Books で学外の所蔵を確認 GO

Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer (12巻で所蔵)

学外から文献を取寄せる (有料)

文献複写 を申し込む GO

※神戸大学OPACで学内に所蔵がないことを確認してからお申込みください。



Step 1: 電子ジャーナルでフルテキストを入手

Step 2: 神戸大学附属図書館で掲載雑誌を入手
*CiNii Booksも検索できます

Step 3: 他大学の資料を利用する (ILL)


10. シソーラス (MeSH)

シソーラスは統制語を項目名として、同義語や類義語を分類・整理した語彙集のことです。PubMedではMeSH (Medical Subject Headings) というシソーラスが使われており、各論文データに統制語 (MeSH terms) が検索タグとして付与されています。

● シソーラス検索の特徴 ①


統制語で検索をすると、同義語や類義語をキーワードに含む文献を網羅的に検索できます。

タイトルや抄録に検索キーワードが含まれていなくても、関連のある文献がヒットします。





● シソーラス検索の特徴 ②

統制語には階層関係が構築されています。下位の用語を利用することでより詳細な検索結果を、上位の用語を利用することでより広い検索結果が得られます。



11. MeSH検索 ①

トップページ右下「MeSH Database」をクリックすると、MeSH 検索（ソーラス検索）が行えます。



① 検索窓にMeSHで調べたい語を入力し、Searchをクリック。

②検索結果は関連度順に並んでおり、入力した語と完全に一致するMeSH Termがあった場合は一番上に表示されます。
項目名をクリックすると、詳細画面が開きます。

12. MeSH検索 ②

The screenshot displays the MeSH interface with several key components highlighted by numbered circles:

- 1 (Red circle):** The definition of **Diabetes Mellitus**: "A heterogeneous group of disorders characterized by hyperglycemia and glucose intolerance." This text is enclosed in a red box.
- 2 (Purple circle):** A grid of subheadings related to Diabetes Mellitus, such as analysis, anatomy and histology, blood, blood supply, cerebrospinal fluid, chemical synthesis, chemically induced, chemistry, classification, complications, congenital, diagnosis, diagnostic imaging, diet therapy, drug therapy, economics, education, embryology, enzymology, epidemiology, ethnology, immunology, metabolism, microbiology, mortality, nursing, organization and administration, parasitology, pathology, physiology, physiopathology, prevention and control, psychology, radiotherapy, rehabilitation, statistics and numerical data, surgery, therapy, transmission, urine, veterinary, and virology. This grid is enclosed in a purple box.
- 3 (Blue circle):** A hierarchical tree structure showing the relationship between MeSH terms, starting from **Diabetes Mellitus** and branching into subcategories like **Diabetes Mellitus, Experimental**, **Diabetes Mellitus, Type 1**, **Wolfram Syndrome**, **Diabetes Mellitus, Type 2**, **Diabetes Mellitus, Lipotrophic**, **Diabetes, Gestational**, **Diabetic Ketoacidosis**, **Donohue Syndrome**, **Latent Autoimmune Diabetes in Adults**, and **Prediabetic State**. This tree is enclosed in a blue box.
- 4 (Green circle):** The **PubMed Search Builder** interface, which includes a search box, a dropdown menu for adding terms, and a **Search PubMed** button. This interface is enclosed in a green box.

Additional visible elements include the **PubMed search builder options** (Subheadings), **Related information** (PubMed, PubMed - Major Topic, Clinical Queries, NLM MeSH Browser, dbGaP Links, MedGen), and **Recent Activity** (Diabetes Mellitus, diabetes (100)).

① 用語・定義

② Subheadings

①と組み合わせて検索可能な用語です。研究分野や治療など、検索内容をより詳細に指定できます。

③ 同義語・上下位語


検索した語と類似の用語や階層関係にある用語が表示されます。

④ MeSH検索の実行

「Add to search builder」をクリックすると検索窓に検索式が入力されます。その後「Search PubMed」をクリックすることでMeSHを使ったPubMedの検索が実行できます。

13. データの保存・出力

検索した文献の情報を「Save」から出力したり「Email」から送信したりできます。



The screenshot shows the PubMed interface. At the top, there are buttons for 'Save', 'Email', and 'Send to', which are highlighted with a red box. Below these buttons, the 'Save citations to file' dialog box is open. It has a 'Selection' dropdown set to 'Selection (1)' and a 'Format' dropdown set to 'PubMed'. There are 'Create file' and 'Cancel' buttons. Below the dialog box, the search results are displayed. The first result, 'Palliative care for the terminal heart failure patient.', is selected, indicated by a blue checkmark in a box that is circled in red. The second result, 'End-of-Life Care: Redesigning Access Through Leveraging the Institute of Medicine Future of Nursing Recommendations.', is not selected.

Save citations to file

Selection: Selection (1)

Format: PubMed

Create file Cancel

59,962 results 1 item selected x Clear selection

☒ 1 Palliative **care** for the **terminal** heart failure patient.
Beard WL, Long RC, Geraci SA.
J Miss State Med Assoc. 2014 Jan;55(1):4-10.
PMID: 24640063 Review.
End-stage heart failure patients require a comprehensive palliative approach to **care** during their final months, with treatment goals focusing on symptom relief. Often, specific heart failure therapies can further this cause and should be administered when appropriate to al ...
Cite Share

☐ 2 End-of-Life **Care**: Redesigning Access Through Leveraging the Institute of Medicine Future of Nursing Recommendations.
Rochon T, Emard E.
Home Healthc Now. 2019 Jul/Aug;37(4):208-212. doi: 10.1097/NHH.0000000000000788.
PMID: 31274583
At the **Care** New England Health **Care** System's Visiting Nurse Association, located in the state of Rhode

・データを保存したい文献にチェックを入れて「Save」をクリックし、Formatを指定します。

※Format : Excel等で利用 →CSV
EndNote onlineへ取込 →PubMed



※検索結果すべてを出力したい場合は
Selectionで「All results」を選択
(検索結果が 1万件を超える場合は、最初の
1万件しか出力できません)

・「Send to」のClipboardを使うと、最大500件の文献情報を一時的にPubMed上に保存できます。データはブラウザのcookieに8時間保存されます。

※Collectionsを使うと8時間を超えて保存することができます (15.My NCBI参照)


14. My NCBI : アカウント登録

アカウントを作成すると、検索結果や検索式を保存する機能やアラート機能（設定した検索式で定期的に検索を実行し、新規情報をメール通知する機能）が利用できます。



アカウント登録の方法：

- ① トップ画面右上「Log in」
- ② Google や Microsoft 等のアカウントでログイン
- ③ 初めてアカウントを作成する場合は Create a new NCBI account を選択



15. My NCBI : 検索式・文献情報の保存

① 検索式の保存

検索結果一覧画面で検索窓の下に表示される「create alert」をクリックすると、検索式の保存やアラートの設定ができます。

- 自動通知が必要ない場合は、“No”を選択して検索式を保存します。
- 自動通知する頻度、レポートのフォーマット、送付件数の上限を設定し保存します。

The screenshot shows the NCBI search results page. The search bar contains 'covid 19 treatment'. Below the search bar, the 'Create alert' button is highlighted with a red box and a red circle with the number 1. Below the 'Create alert' button, the 'Send to' button is highlighted with a purple box and a purple circle with the number 2. A large blue arrow points from the 'Create alert' button to the 'Your saved search' dialog box on the right.

② 文献情報の保存

検索結果一覧から保存したい文献情報を選択し「Send to」⇒「My Bibliography」をクリックすると、文献情報を保存できます。

The 'Your saved search' dialog box contains the following information:

- Name of saved search: terminal care
- Search terms: terminal care
- Test search terms (link)
- Would you like email updates of new search results?
 - ☒ Yes
 - ☐ No
- Email: xx@ooo.kobe-u.ac.jp (change)
- Frequency: Daily
- Report format: Summary
- Send at most: 5 items
- ☐ Send even when there aren't any new results
- Optional text in email: (text area)
- Save (button)
- Cancel (button)